XENITH® PADS
RESIN BOND DIAMOND TOOLING

The SASE® Xenith® Pads were designed for honing and polishing of self-leveling overlayments and other cementitious surfaces. They are available in 7 different sizes and a full range of grits. The 17" Xenith® pads were designed specifically for the PDG 8000 series machines for the toe kick. The 13" Xenith® pads are for use under the 6000 series machines for the toe kick. The 11" Xenith® pads are for use under the 8000 series machines or other industry floor grinders with 11" heads. The 9" Xenith® pads were designed specifically for the PDG 6000. The Xenith® 7.5" pads were developed for use under the PDG 6000, 5000 and SC70 hand grinders. While the 6" were created for the SASE® Edge Pro 180. Finally, the 5" pads were designed for use on the SASE® SC50 hand grinder and PDG 3000.









Products manufactured and marketed by SASE® Company are protected by patents issued or pending in the United States and other countries. SASE® Company reserves the right to change the specifications referred to in this literature at any time, without prior notice. © 2024 SASE® Company, Inc. All rights reserved.

1-800-522-2606 SASEcompany.com



## XENITH® PADS RESIN BOND DIAMOND TOOLING

	4 711	400
	17"	<b>13</b> "
30 GRIT	HOL.3008785	SASE 30 HOL.300890
<b>50</b>	50	50
GRIT	HOL.300878	HOL.300891
100	100	100
GRIT	HOL.300879	HOL.300892
<b>200</b> GRIT	200 HOL.300880	SASE 200 HOL.300893
400 GRIT	400 HOL.300881	HOL.300894
800	800	800
GRIT	HOL.300882	HOL.300895
1500	1500	1500
GRIT	HOL.300883	HOL.300896
3000	3000	3000
GRIT	HOL.300884	HOL.300897

Products manufactured and marketed by SASE® Company are protected by patents issued or pending in the United States and other countries. SASE® Company reserves the right to change the specifications referred to in this literature at any time, without prior notice. © 2024 SASE® Company, Inc. All rights reserved.

1-800-522-2606 SASEcompany.com



## XENITH® PADS RESIN BOND DIAMOND TOOLING



Products manufactured and marketed by SASE® Company are protected by patents issued or pending in the United States and other countries. SASE® Company reserves the right to change the specifications referred to in this literature at any time, without prior notice. © 2024 SASE® Company, Inc. All rights reserved.

1-800-522-2606 SASEcompany.com

